



# SAFETY DATA SHEET

## BC4 - GLASS CLEANER

Infosafe No.: LQ75P  
ISSUED Date : 12/04/2018  
ISSUED by: JASOL AUSTRALIA

**NOT CLASSIFIED AS HAZARDOUS**

### 1. IDENTIFICATION

#### GHS Product Identifier

BC4 - GLASS CLEANER

#### Product Code

2210050

#### Company Name

JASOL AUSTRALIA

#### Address

Level 3, 187 Todd Road Port Melbourne

VIC 3207 AUSTRALIA

#### Telephone/Fax Number

Tel: 03 95805722

Fax: 03 95809902

#### Emergency phone number

1800 629953

#### Recommended use of the chemical and restrictions on use

Ammoniated glass cleaner

#### Disclaimer

Jasol (a division of George Weston Foods Limited) believes the information in this document to be accurate as at the date of preparation noted in the header of the SDS, but to the maximum extent permitted by law, Jasol accepts no responsibility for any loss or damage caused by any person acting or refraining from action because of this information.

The provision of this information should not be construed by anyone as a recommendation to use this product. In particular, no one should use any product in violation of any patent or other intellectual proprietary rights or in breach of any statute or regulation.

Users should rely on their own knowledge and inquiries and make their own determination as to the applicability of this information in relation to their particular purposes and specific circumstances. Each user should read this SDS and consider the information in the context of how the product will be handled and used in the workplace and in conjunction with other substances or products.

### 2. HAZARD IDENTIFICATION

#### GHS classification of the substance/mixture

Not classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) including Work, Health and Safety Regulations, Australia.

Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. (7th edition)

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Ingredients

| Name             | CAS        | Proportion |
|------------------|------------|------------|
| 2- Butoxyethanol | 111- 76- 2 | 0- 5 %     |

|  |             |          |
|--|-------------|----------|
| Ethanol                                    | 64- 17- 5   | 0- 5 %   |
| Ammonia                                    | 1336- 21- 6 | <0. 5 %  |
| Isopropyl alcohol                          | 67- 63- 0   | <0. 5 %  |
| Sodium Naphthalene Sulphonate              | 9084- 06- 4 | <0. 05 % |
| Ingredients determined not to be hazardous |             | Balance  |

## 4. FIRST-AID MEASURES

---

### Inhalation

If inhaled, remove affected person from contaminated area and keep at rest in a position comfortable for breathing. Keep at rest until recovered. If symptoms develop and/or persist seek medical attention.

### Ingestion

Do NOT induce vomiting. Wash/rinse out mouth thoroughly with water. Seek medical attention.

### Skin

Wash affected area thoroughly with soap and water after handling. If symptoms develop seek medical attention.

### Eye contact

If in eyes, hold eyelids apart and flush the eyes continuously with running water. Remove contact lenses, if present and easy to do. Continue flushing for several minutes until all contaminants are washed out completely. If symptoms develop and/or persist seek medical attention.

### First Aid Facilities

Eyewash and normal washroom facilities.

### Advice to Doctor

Treat symptomatically.

### Other Information

For advice in an emergency, contact a Poisons Information Centre (Phone Australia 131 126) or a doctor at once.

## 5. FIRE-FIGHTING MEASURES

---

### Suitable Extinguishing Media

Use appropriate fire extinguisher for surrounding environment.

### Hazards from Combustion Products

Under fire conditions this product may emit toxic and/or irritating fumes and gases including water vapour, carbon dioxide and oxides of sulphur. Incomplete combustion may generate carbon monoxide.

### Specific Hazards Arising From The Chemical

This product is non combustible. However, following evaporation of aqueous component under fire conditions, the non-aqueous component may decompose and/or burn.

### Decomposition Temperature

Not available

### Precautions in connection with Fire

Fire fighters should wear full protective clothing and self-contained breathing apparatus (SCBA) operated in positive pressure mode. Fight fire from safe location.

## 6. ACCIDENTAL RELEASE MEASURES

---

### Emergency Procedures

Wear appropriate personal protective equipment and clothing to prevent exposure. Increase ventilation. If possible contain the spill. Place inert absorbent material onto spillage. Collect the material and place into a suitable labelled container. Do not dilute material but contain. Dispose of waste according to the applicable local and national regulations. If contamination of sewers or waterways occurs inform the local water and waste management authorities in accordance with local regulations.

## 7. HANDLING AND STORAGE

---

### Precautions for Safe Handling

Avoid inhalation of vapours and mists, and skin or eye contact. Use only in a well ventilated area. Keep containers sealed when not in use. Prevent the build up of mists or vapours in the work atmosphere. Maintain high standards of personal hygiene i.e. Washing hands prior to eating, drinking, smoking or using toilet facilities.

### Conditions for safe storage, including any incompatibilities

Store in a cool, dry, well-ventilated area, out of direct sunlight. Store in suitable, labelled containers. Keep containers tightly closed. Store away from incompatible materials. Ensure that storage conditions comply with applicable local and national regulations.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

---

### Occupational exposure limit values

Napthalene

TWA: 10 ppm, 52 mg/m<sup>3</sup>

STEL: 15 ppm, 79 mg/m<sup>3</sup>

Ethanol

TWA: 1000 ppm

STEL: 1880 mg/m<sup>3</sup>

Isopropyl Alcohol

TWA: 400 ppm, 983 mg/m<sup>3</sup>

STEL: 500 ppm, 1230 mg/m<sup>3</sup>

2-Butoxyethanol

TWA: 20 ppm, 96.9 mg/m<sup>3</sup>

STEL: 50 ppm, 242 mg/m<sup>3</sup>

TWA (Time Weighted Average): The average airborne concentration of a particular substance when calculated over a normal eight-hour working day, for a five-day week.

STEL (Short Term Exposure Limit): The average airborne concentration over a 15 minute period which should not be exceeded at any time during a normal eight-hour workday.

'Sk' Notice: Absorption through the skin may be a significant source of exposure. The exposure standard is invalidated if such contact should occur.

### Biological Limit Values

Name: Isopropanol

Determinant: Acetone in urine

Value: 40mg/l

Sampling time: End of shift at end of workweek

Source: American Conference of Industrial Hygienists (ACGIH)

Name: 2-Butoxyethanol

Determinant: Butoxyacetic acid (BAA) in urine

Value: 200 mg/g creatinine

Sampling time: End of shift

Name: NAPHTHALENE

Determinant: 1-Naphtholi + 2-Naphtholi

Value: -

Sampling time: End of shift

Notation: Nq, Ns

Source: American Conference of Industrial Hygienists (ACGIH)

### Appropriate Engineering Controls

Use with good general ventilation. If mists or vapours are produced, local exhaust ventilation should be used.

### Respiratory Protection

If engineering controls are not effective in controlling airborne exposure then an approved respirator with a replaceable vapor/mist filter should be used. Refer to relevant regulations for further information concerning respiratory protective requirements.

Reference should be made to Australian Standards AS/NZS 1715, Selection, Use and Maintenance of Respiratory Protective Devices; and AS/NZS 1716, Respiratory Protective Devices, in order to make any necessary changes for individual circumstances.

### Eye Protection

Safety glasses with side shields, chemical goggles or full-face shield as appropriate should be used. Final choice of appropriate eye/face protection will vary according to individual circumstances. Eye protection devices should conform to relevant regulations.

Eye protection should conform with Australian/New Zealand Standard AS/NZS 1337 - Eye Protectors for Industrial Applications.

**Hand Protection**

Wear gloves of impervious material such as rubber or plastic. Final choice of appropriate gloves will vary according to individual circumstances. i.e. methods of handling or according to risk assessments undertaken. Occupational protective gloves should conform to relevant regulations.

Reference should be made to AS/NZS 2161.1: Occupational protective gloves - Selection, use and maintenance.

**Body Protection**

Suitable protective workwear, e.g. cotton overalls buttoned at neck and wrist is recommended. Chemical resistant apron is recommended where large quantities are handled.

---

## 9. PHYSICAL AND CHEMICAL PROPERTIES

---

**Form**

Liquid

**Appearance**

Clear blue mobile liquid with a mild ammonia odour

**Colour**

Blue

**Odour**

Mild ammonia odour

**Decomposition Temperature**

Not available

**Melting Point**

Not available

**Boiling Point**

> 80°C

**Solubility in Water**

Miscible with water in all proportions.

**Specific Gravity**

0.98-0.99

**pH**

10.5-11.5

**Vapour Pressure**

Not available.

**Vapour Density (Air=1)**

Not available

**Evaporation Rate**

Not available

**Flash Point**

57°C

**Flammability**

Does not sustain combustion

**Auto-Ignition Temperature**

57°C

**Flammable Limits - Lower**

57°C

**Flammable Limits - Upper**

57°C

---

## 10. STABILITY AND REACTIVITY

---

**Reactivity**

Reacts with incompatible materials

**Chemical Stability**

Stable under normal conditions of storage and handling.

**Conditions to Avoid**

Extremes of temperature and direct sunlight

**Incompatible materials**

Not available.

**Hazardous Decomposition Products**

Thermal decomposition may result in the release of toxic and/or irritating fumes

**Possibility of hazardous reactions**

Not available.

**Hazardous Polymerization**

Not available.

## 11. TOXICOLOGICAL INFORMATION

---

**Toxicology Information**

No toxicity data available for this material.

**Ingestion**

Ingestion of this product may irritate the gastric tract causing nausea and vomiting.

**Inhalation**

Inhalation of product vapours may cause irritation of the nose, throat and respiratory system.

**Skin**

May be irritating to skin. The symptoms may include redness, itching and swelling.

**Eye**

May be irritating to eyes. The symptoms may include redness, itching and tearing.

**Respiratory sensitisation**

Not expected to be a respiratory sensitiser.

**Skin Sensitisation**

Not expected to be a skin sensitiser.

**Germ cell mutagenicity**

Not considered to be a mutagenic hazard.

**Carcinogenicity**

Not considered to be a carcinogenic hazard.

Napthalene is listed as a Group 2B: Possibly carcinogenic to humans according to International Agency for Research on Cancer (IARC).

Isopropyl alcohol is listed as a Group 3: Not classifiable as to carcinogenicity to humans according to International Agency for Research on Cancer (IARC).

2-Butoxyethanol is listed as a Group 3: Not classifiable as to carcinogenicity to humans according to International Agency for Research on Cancer (IARC).

**Reproductive Toxicity**

Not considered to be toxic to reproduction.

**STOT-single exposure**

Not expected to cause toxicity to a specific target organ.

**STOT-repeated exposure**

Not expected to cause toxicity to a specific target organ.

**Aspiration Hazard**

Not expected to be an aspiration hazard.

**Other Information**

Evidence from animal tests with 2-butoxy ethanol indicate that repeated or prolonged exposure to this chemical could result in liver, kidney, blood and central nervous system disorders. There is evidence that experimental animals are more sensitive to these effects than humans.

---

## 12. ECOLOGICAL INFORMATION

---

**Ecotoxicity**

No ecological data available for this material.

**Persistence and degradability**

Not available

**Mobility**

Not available

**Bioaccumulative Potential**

Not available

**Other Adverse Effects**

Not available

**Environmental Protection**

Prevent large amounts from entering waterways, drains and sewers.

---

## 13. DISPOSAL CONSIDERATIONS

---

**Disposal considerations**

The disposal of the spilled or waste material must be done in accordance with applicable local and national regulations.

---

## 14. TRANSPORT INFORMATION

---

**Transport Information**

Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. (7th edition)

Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air.

Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea

**U.N. Number**

None Allocated

**UN proper shipping name**

None Allocated

**Transport hazard class(es)**

None Allocated

**IMDG Marine pollutant**

No

**Transport in Bulk**

Not available

**Special Precautions for User**

Not available

---

## 15. REGULATORY INFORMATION

---

**Regulatory information**

Not classified as Hazardous according to the Globally Harmonised System of classification and labelling of chemicals (GHS) including Work, Health and Safety regulations, Australia.

Not classified as a Scheduled Poison according to the Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP)

**Poisons Schedule**

Not Scheduled

---

## 16. OTHER INFORMATION

---

**Date of preparation or last revision of SDS**

SDS reviewed: Apr 2018

SDS created: June 2016

### References

Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practice.

Standard for the Uniform Scheduling of Medicines and Poisons.

Australian Code for the Transport of Dangerous Goods by Road & Rail.

Model Work Health and Safety Regulations, Schedule 10: Prohibited carcinogens, restricted carcinogens and restricted hazardous chemicals.

Workplace exposure standards for airborne contaminants.

Adopted biological exposure determinants, American Conference of Industrial Hygienists (ACGIH).

Globally Harmonised System of classification and labelling of chemicals.

### Contact Person/Point

The company has taken care in compiling this information. No liability is accepted whether direct or indirect from its application since the conditions of final use are outside the Company's control. The end user is obliged to conform to relevant government regulations and/or patent laws applicable in their respective States of Countries.

24-Hour Emergency Telephone: AUS: 1800 629 953 NZ: Poisons 0800 764 766,

---

## END OF SDS

© Copyright Chemical Safety International Pty Ltd

Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe SDS displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copyright in the layout, presentation and appearance of each Infosafe SDS displayed is the intellectual property of Chemical Safety International Pty Ltd.

The compilation of SDS's displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copying of any SDS displayed is permitted for personal use only and otherwise is not permitted. In particular the SDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of SDS without the express written consent of Chemical Safety International Pty Ltd.